

# NEOLUX


**Type of opening:**  
SLIDING DOOR



W.965 - 1125



W.1445




## Section



## Dimensions

Thickness 18 + 4mm.



## Finishes

### Glass

- Extralight varnished Gesso
- Frosted extralight varnished Gesso
- Varnished colours
- Frosted varnished colours
- Natural mirror
- Reflective varnished anthracite

### Rear panel

- Melamine Gesso

## Profiles

Thickness 6mm.

- Polished aluminium
- Gesso

## Handles

- N3  
same finish as the profile  
**COMPULSORY**

## Technical information

- Honeycomb panel for door width 1445mm.
- Door width 1445mm is made of two panels, without tensioner.
- Doors width 965 – 1125mm supplied with tensioner.
- Supplied with carriages and rails.
- Upon request carriages with soft closing device available with surcharge.

## Made to measure

- Not possible

# NEOLUX

**Type of opening:**  
HINGED DOOR




## Section



## Dimensions

Thickness 18 + 4mm.



## Finishes

### Glass

- Extralight varnished Gesso
- Frosted extralight varnished Gesso
- Varnished colours
- Frosted varnished colours
- Reflective varnished anthracite
- Natural mirror

### Rear panel

- Melamine Gesso with glass varnished Gesso
- Matt lacquer same finish of the glass

## Profiles

Thickness 6mm.

- Polished aluminium

## Handles

- Neolux (the couple)  
polished aluminium  
**COMPULSORY**

## Technical information

- Supplied standard with 5 hinges with soft closing device.
- Handle fitted on both left and right door.
- Height of the handle 500mm.
- Cannot be used on corner modules.
- In case of single doors, these cannot be central in the wardrobe, and opening direction must be opposite to that of adjacent doors.

## Made to measure

- In width with surcharge
- In height with surcharge